




# We keep on shaping the future

SOMEWHERE, BEYOND THE SEA

"WE BELIEVE MODERN BOATERS ARE READY FOR THE NEXT STEP IN THE EVOLUTION OF LEISURE BOATING AND ARE BECOMING INCREASINGLY MORE AWARE THAT WE ARE THE ONLY ONES THAT CAN PRESERVE THE ENVIRONMENT FOR OUR CHILDREN AND GRANDCHILDREN TO ENJOY".

Vladimir Zinchenko, SVP Yachts owner and CEO



GREENLINE

# Preserving the environment without sacrificing your comfort

ON OUR WAY TO FULLY RESPONSIBLE BOATING

Our customers want to immerse themselves in the natural world and preserve it at the same time. They want special moments with friends and family on the water but value ecological responsibility and a low impact on the environment. With our range of hybrid and fully electric boats, we allow them to do that.



Greenline Yachts are the only range of Yachts to offer H-Drive as well as full E-Drive



We're using innovative ecofriendly fabrics such as PET foam core, grass paper and recycled materials



Merchandise strictly from recycled or sustainable materials



Renewable sources of energy with solar panels



All Yachts built-in vacuum infusion technology



Organic boat wash and biodegradable garbage bags delivered with every new Greenline



Dedicated recycling garbage boxes



Fully recycled carpentry leftovers reused as heating pallets



Inhouse 3D printing for small parts to reduce transport



# From the project to the launch

THE CONCEPT. THE TECHNOLOGIES. THE HANDCRAFTED TOUCH.





# It starts with a sketch

Ideas are born in minds, but it is on paper or more often, on a computer, where they have to prove their plausibility to then truly come to life. Our team of engineers and designers meticulously study every detail in order to ensure the best possible outcome: a safe, comfortable and elegant boat.





# **Infusion Technology**

Greenline Yachts have adopted vacuum infusion technology since its inception. Compared to traditional hand lay-up, there are several benefits such as optimal amount of resin used in the process resulting in optimal weight and stiffness, higher quality of materials used (osmosis proof vinyl ester resin) as well as being environmentally friendlier.





# **Tooling** and prototyping

The highly sophisticated tooling forms the basis for a very efficient and streamlined production process - arguably one of the most advanced worldwide.





Tradition and experience means a great deal in boat building. Greenline Yachts are built by some of the most skilled and experienced craftsmen, based on centuries of local boatbuilding tradition and over half a century of composite boatbuilding experience.



Handcrafted





# **High level customization**

At the Greenline shipyard, the doors are always open for our customers. Before and during the purchase process, they come to select the materials, test the electronics and personally follow the building process of their boat.





# **Custom made**

From hull colour to furniture wood and upholstery, the future Greenline boat owners can customize their vessels according to their personal preferences. While wide array of materials is already on display in our showroom in Begunje, the fulfilment of special requirements can also be arranged.

Did you know that all Greenline boats are tested on water before the delivery?


Tests are carried out on Greenline's own pontoon in Marina Portorož in Slovenia, where the final preparations and hand-overs are organized too.

# **Extreme Comfort**& Maximum Convenience

### FOR YOUR CONTINUED WELL-BEING ON BOARD


Maintaining the highest levels of comfort and convenience both on and below deck is of utmost importance across the Greenline range. The boats are stylish but our designs are always created with safety and practicality as priorities. On board storage is excellent and ease of movement around the boat is a key consideration for our design team. With the majority of heavy components mounted in the deepest part of the hull, Greenline naturally has a low centre of gravity, making them less susceptible to rolling and more stable out at sea, whether stationary or on passage.


# Low center of gravity: stability, safety & comfort




We pride ourselves in having one of the most comfortable and safest ranges of boats available on the market. The Greenline concept puts comfort and convenience at the top of our priority list.

On the majority of Greenline models there is not a single step between the bathing platform and the helmsman's position. This is truly unique on a high-volume yacht and ensures a very low center of gravity, which means stability, safety and more comfort at sea.







Optimal position of the center of gravity is of the utmost importance for a vessel's stability.

# Less energy required to move through the water

**THE HYBRID HULL** has evolved from the Greenline signature hull design called Superdisplacement, which incorporates some of the properties of a modern sailing boat hull in that it moves through the water with the least amount of drag and exceeds the theoretical speed of the hull, which is determined by the length of the waterline.

The Hybrid hull is a natural evolution of the Superdisplacement as it enables cruising at higher speeds while still maintaining optimal consumption and stability at lower cruising speeds.

The Hybrid hull allows **FOR SMOOTH AND STABLE CRUISING AT 10, 12, 16, 20, 25 KNOTS**. This way the owner can choose from the range of engines offered - the power of the engines determines the cruising speed without compromising on the safety, stability or consumption levels of your Greenline.



The fuel consumption per nautical mile is much lower than that of a comparable displacement hull and as little as one quarter of a semidisplacement, twin engine planing boat.

This revolutionary hull efficiently covers the speed range from zero to over double displacement speed - up to 18 knots in case of a 10 meter waterline and up to 25 knots in case of a 12 meter waterline.

With twin stabilizers on the Greenline 33 and 40, it has unrivalled anti-roll and tracking stability. It offers a comfortable and safe ride in all weather conditions, whether faced by a head-on, side or following sea.



- Extremely comfortable and safe ride
- Low fuel consumption and carbon footprint
- Outstanding seaworthiness and stability
  - Low running costs

# Your choice for responsible boating


# **H-Drive system**



The hybrid system was launched in 2009 with Greenline 33 as the first production boat available with the Hybrid drive.

With constant technological development, we now have the 3<sup>RD</sup> generation of the H-Drive available.

Apart from the convenience of having 230V AC available at all times, the advantage of the H-Drive is also silent and emission-less navigation, which the boating community now calls "gentleman's boating". Why? Because only the Greenline Hybrid allows you to sail without disturbing your neighbours at the anchorage or in the marina. The Hybrid drive allows for cruising for up to 20 nautical miles at approx. 4-5 knots on a full charge, which is more than enough for a typical leisure day on the water.




The protected H-Drive connects the 4 modes of operation with full integration and simplicity. A control system simplifies the interface to the user via a single (Diesel/Electric) switch.



- Low maintenance
  - Ease of use
- Use of electric energy for propulsion: the running cost of electric boating is 10 times lower than burning diesel fuel
  - Smoke, noise and vibration eliminated
- 230/120V AC power system at any time, either at the dock or at sea

# CHARGING AND DRIVING MODES (GREENLINE 48 FLY EXAMPLE)



#### **DIESEL MODE**

The diesel engine propels the boat and drives the generator, which recharges the battery pack. A full charge takes only 2-2.5 hours on diesel mode.



up to 23 Knots

Top speed 23 Knots in diesel mode\*




Twin 370 Hp



Twin 25 kW

2 x 370 Hp Yanmar 2 x 25 kW generator diesel engines



#### **HYBRID MODE**

In the electric drive mode the boat propulsion is provided by the electric motor using the power from the Lithium battery. This zero- emission mode is used to sail in and out of a marina or anchorage with no noise, no smoke and an insignificant wake..



Twin 25 kW

2 x 25 kW Electric




Range 25 NM

Range at 5 knots in electric mode\*



8 Knots

Top speed 8 knots in electric mode\*



#### **AT ANCHOR**

The solar roof array charges the batteries, which provide AC power supply for the appliances via an inverter. If the level of battery charge drops below a set value, the diesel engine should be switched on in order to drive the generator and charge the battery pack via generator(s). The propeller is disengaged (the gearbox is in neutral).



hard-top

Up to 1.98 kW 660 W Standard, additional 1.32 kW on

Up to 6 x 13.3 LiPo batteries

Up to 80 kW/h

• charging • consuming • passive state


\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed and range estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

# No need for wind to cruise in silence

# E-Drive System E ELECTRIC DRIVE



Electric drive is the next logical step in the evolution and development of the Greenline Yachts range of environmentally friendly yachts. Solar panels charge the service batteries to run all appliances with constant 230/120V AC power while the main engine battery is charged by shore power with charging time as short as 4 hours for a full charge.




The E-drive mode makes your cruising silent and enjoyable while being responsible towards the environment and friendly to your pocket.



- Silent navigation
- Longer range
- Environmentally friendly boating

# CHARGING AND DRIVING MODES (GREENLINE 48 FLY EXAMPLE)



### **DEFAULT ELECTRIC MODE**

In the electric drive mode the boat propulsion is provided by the electric motor using the power from the Lithium battery.



11 Knots


electric mode\*

Top speed 11 knots in

Up to 30 NM Range at 7 knots in electric mode\*

Twin 100 kW

2 x 100 kW Electric



#### **RANGE EXTENDER OPTION**

To cover longer distances of 100 nm and more, an optional range extender can be installed. This diesel generator can charge the battery while driving in electric mode.






20 kW

Diesel generator / range extender



> 100 NM

Range at 5 knots in electric mode\*



#### **AT ANCHOR**

The solar roof array charges the batteries, which provide AC power supply for the appliances via an inverter.



- +

Up to 1.98 kW

660 W Standard, additional 1.32 kW on hard-top



160 kW/h

4 x 40 kW/h lithium high performance batteries

passive state chargingconsuming

\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed and range estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

# **Solar and Batteries**

Every Greenline has solar panels and AC power onboard at all times as standard with the upgrade of additional solar panels on the T-top available on the new Greenline 45 Fly and the Greenline 48 Fly. A Coupe version of the 45 Coupe is following the same philosophy as the rest of Greenline range with providing 2.97 kW (45 Coupe) of solar power to its consumers.



# Solar roof

Regardless of whether you choose the H-Drive system or a standard diesel drive, your Greenline can collect and store power from the sun, utilizing highly efficient solar panels on the hardtop thereby producing plenty of electricity to power all systems including home appliances with 230V or 120V AC power to make your living onboard as pleasant and convenient as possible.

The Photo-Voltaic (PV) panels on the hardtop keep the batteries fully charged and provide additional energy for the boat's H-Drive or E-Drive system.

 $6\,\text{PV}$  panels with forced air cooling deliver up to 1.98 kW per hour of electric power in daylight conditions.

As a result, they are capable of supplying constant power to on-board 230V or 120V consumers such as refrigerator, air conditioning and entertainment systems, thus removing the need for a generator or shore power.



# **Lithium batteries**

Lithium batteries have been around for a while, powering your smartphones, laptop computers and other gadgets that represent a large part of our lives today. With the wider adoption of electric vehicles in recent years technology has progressed, and we are proud of the fact that starting in 2009 Greenline Yachts has been pioneering the use of Lithium Polimer batteries for heavier consumers such as electric propulsion for vessel navigating.

Greenline Yachts utilize for the H-Drive system the best lithium (Li-Po) battery technology available: up to 26 kWh on Greenline 33 & 39, up to 50 kWh on Greenline 40, up to 80kWh on Greenline 45 & 48 and up to 160 kWh on Greenline 58 & OceanClass 68.

For the standard onboard service, we equip our boats with LiFePO4-technology based batteries.

Very powerful, lightweight (7 times lighter, 1/3 of normal battery size) and maintenance-free, these batteries are the ultimate for your hybrid boat with a life expectancy of over 10 years.



Green energy production
 Cost and emission-free sailing
 No maintenance




No maintenance
Ease of use
More time spent out on the water, whether cruising or at anchor
Estimated 10 years life expectancy
Lightweight and compact



# A weekend at anchor on a Greenline without running out of energy

230V AC POWER ONBOARD ALL THE TIME

Greenline Yachts offer a unique set of benefits that no other boat on the market can offer today. You will never find yourself opening a warm bottle of wine or having to serve your friends cocktails without ice. Greenline Yachts offer 230V AC power onboard at all times even without being plugged in at the marina or running a generator. 230V AC is available as standard, even without the H-Drive option!






#### **CONSUMPTION CONTROL SYSTEM**

Complete control and monitoring of consumed energy and charging of the batteries from various sources such as alternators, solar panels or generators is available on your smartphone or tablet using mobile application via WiFi connectivity.


# **SOLAR BENEFITS FOR HYBRID** (GREENLINE 48 COUPE EXAMPLE)

Our aim is to provide comfort on board like no other. With a bank of solar panels you can use all of the boat's appliances, whether cruising or at rest, without having to fire up a generator or connect to shore power. This means there is no noise, no vibrations, no emissions and no disturbing your neighbours when the boat is on anchor. By utilising high performance LiFePO4 batteries, even high load appliances like air-conditioning can be run in silence.



# SOLAR BENEFITS FOR NON-HYBRID (GREENLINE 48 COUPE EXAMPLE)

Even without the hybrid drive system, there are huge benefits from Greenline's standard fit solar panels. The panels are constantly creating sustainable energy and feeding the domestic battery bank so onboard lighting and refrigeration, for example, can be run silently without having to rely on a diesel generator. This harnessing of solar power brings both peace of mind and a responsible way to create energy on board.



solar panels \*

\* Approximate consumption values can slightly vary depending on the frequency of the appliance utilizations. Approximate consumption values are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

excl. air conditioning

19

energy management

and the sunshine, this period can be longer or shorter.





Greenline 39 Page 22



Greenline 40 Page 30



Greenline 45 Coupe Page 38



Greenline 45 Fly Page 46



Greenline 48 Coupe Page 54



Greenline 48 Fly Page 60



Greenline 58 Coupe



Greenline 58 Fly Page 68

# **Greenline 39**

Discover a new sense of freedom







Aft camera available

Stepping on board of the Greenline 39 you cannot help but be amazed by the feeling of space. The key elements of Greenline design are all there - the 360° panoramic view in the salon, the aft galley, electric fold-down transom and the spacious layout which all come together to create one of the most sociable and relaxing boats on the market today.

Step on board the Greenline 39 and discover a new sense of freedom.





360° panoramic view from the salon







Ppening bathing platform












Adaptive owner's cabin







Bathroom with a separate shower accessible from owner's cabin and salon







Greenline 39 is all about sophistication in design, technology, production and environment. Thanks to dedicated engineers and designers, as well as experienced craftsmen skilled at latest technologies in boat building Greenline 39 has become one of the most popular boats in a short time.

Greenline 39 design profited from feedback of hundreds of users from all over the world. We improved every single point, from boarding the boat to hydrodynamics, from seaworthiness with low consumption to more speed and stability.











# **Technical specifications**

# Standard dimensions

Length overall	11,99 m	39'5"
Beam overall	3,75 m	12'4"
Bridge clearance (minimum)	3,16 m	10'4"
Draft empty	0,90 m	2'11"
Displacement empty	7000 kg appr.	15.432 lbs
Cabins	2 + salon	
Max. berths	4 + 2 opt.	
Toilets/washrooms	1	
Diesel tank	700 I	184,2 gal
Water tank	400	105,67 gal
CE category	В	
Design	J&J Design	

# Solar / Power management

	STANDARD PACKAGE	OPTION
Standard solar panels	1,32 kW	
Standard LiFePO4 batteries	4,1 kW/h	8,2 kW/h
Standard inverter	3 kW	5 kW

# See how it works on greenlinehybrid.com


* Displacements are calculated with 50% fuel and water plus liferaft but with no optional	
equipment or other gear fitted.	

<sup>\*\*</sup> Depending on selected equipment and propulsion.


# MAIN DECK



#### LOWER DECK



#### SIDE VIEW



### **Features**

Solar panels     as standard	• Yanmar Engine	Silent eco-navigation	Opening bathing platform	City water connection	• 230/120V AC power at all times	Adaptive owner's cabin
Twin-access, high-volume bathroom	• Open galley	Sheltered cockpit     and sidedecks	• Natural light and 360° panoramic view	Cockpit side exit	Cockpit storage	Single level living space

in the salon

# **Electric Drive**



lectric motor	50 kW	
lattery capacity	up to 80kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
lange	30 Nm	
lange extender / generator	4 kW	
ange with range extender at kts	up to 75 Nm	

# **Hybrid Drive**



lectric motor	25 kW	
lattery capacity	up to 26,6 kW/h	
Max speed electric mode	7,5 kts	
lange in electric mode (5kts)	up to 20 Nm	
Diesel engine	250 hp	
Max speed diesel mode	18 kts	
Generator in diesel mode	20 kW	

# **Diesel Drive**



250 hp Shaft drive	18 kts	
370 hp Shaft drive	25 kts	
Max range at 7 kts	700 Nm	

<sup>\*\*\*</sup> Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

# **Greenline 40**

Leave your worries at work, it is family time now









Traditional side anchor or optional bow anchor with bowsprit

Greenline 40 redefines boating. The level of well-being at anchor or at sea has been brought to a new dimension. The comforts of moving around with ease, excellent visibility, ambient light and optimal ventilation in all areas are well above expectations.

The Greenline 40 will take care of you during the extended cruising trips you have always wanted to take.





Standard sola



Newly-designed dashboard with digital gauges
























The Greenline concept puts comfort and convenience at the top of our priority list making it easy to move around as there is not a single step to overcome from the bathing platform to the helmsman's position.


















# **Greenline 40**









MAIN DECK



#### LOWER DECK



#### SIDE VIEW



### **Features**

Solar panels as standard	• Yanmar Engine	Silent eco-navigation	Opening bathing platform	City water connection	• 230/120V AC power at all times	Adaptive owner's cabin
• Twin-access, high-volume bathroom	• Open galley	<ul> <li>Sheltered cockpit and sidedecks</li> </ul>	• Natural light and 360° panoramic view	Cockpit side exit	Cockpit storage	Single level living space

in the salon

# **Technical specifications**

# Standard dimensions

Length overall	11,99 m	39'5"
Beam overall	4,25 m	13'11"
Bridge clearance (minimum)	2,85 m	9'4"
Draft empty	0,85 m	2'9"
Displacement empty	8000 kg appr.	17.640 lbs
Cabins	2 + salon	
Max. berths	4+2	
Toilets/washrooms	1	
Diesel tank	700 I	184,2 gal
Water tank	400 I	105,67 gal
CE category	В	
Design	J&J Design	

# Solar / Power management

	STANDARD PACKAGE	OPTION
Standard solar panels	1,98 kW	
Standard LiFePO4 batteries	4,1 kW/h	8,2 kW/h
Standard inverter	3 kW	5 kW

# **Electric Drive**



Electric motor	2 x 50 kW	
Battery capacity	up to 80 kW/h	
Max speed	10 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	4 kW	
Range with range extender at 5kts	up to 75 Nm	

# **Hybrid Drive**




Electric motor	2 x 25 kW	
Battery capacity	up to 53,2 kW/h	
Max speed electric mode	7,5 kts	
Range in electric mode (5kts)	up to 20 Nm	
Diesel engine	2 x 250 hp	
Max speed diesel mode	22 kts	
Generator in diesel mode	2 x 20 kW	

# **Diesel Drive**



2 x 250 hp Shaft drive	22 kts
Max range at 7 kts	700 Nm



- \* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.
- \*\* Depending on selected equipment and propulsion.
- \*\*\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.

  For more information and detailed standard specifications please contact your local dealer.

# **Greenline 45 Coupe**

The solar power plant







Extra large instrument pod on lower helms

Solar panels
as standard

Greenline 45 Coupe offers a fresh perspective to yachting with a perfectly balanced interior layout featuring a full-beam midship owner cabin with the VIP guest cabin in the bow, both equally comfortable offering private bathrooms with separate showers.

With up to almost 3 kW of solar panels the 45 Coupe offers the maximum comfort and independence.









360° panoramic view in the salon



Lifting bathing platform

The 45 Coupe is a new addition to the Greenline Fleet. This boat takes the sustainability of the 45 Fly to the next level all while borrowing the comfort and luxury from its sister yacht.

It can hold up to 9 solar panels on its roof wich brings more independence at sea- perfect for those who never want to leave their happy place.













Full beam master cabin mid ship









Superb guest cabin

Comfortable sunbathing area

# **Greenline 45 Coupe**







# **Technical specifications**

#### SOLAR ROOF



#### MAIN DECK



#### LOWER DECK A



#### LOWER DECK B



#### LOWER DECK C



and sidedecks

### **Features**

high-volume bathroom

Solar panels as standard	Volvo Penta or Yanmar Engines	Silent eco-navigation	Lifting bathing platform	City water connection	• 230/120V AC power at all times	• Full Beam Master cabin
• Twin-access,	Open galley	Sheltered cockpit	Natural light and 360°	Cockpit side exit	Cockpit storage	

panoramic view in the salon

# Standard dimensions

Length overall	15,57 m	51'1"
Beam overall	4,57 m	14'11"
Bridge clearance (minimum)	3,73 m	12'3"
Draft empty	1,10 m	3'7"
Displacement empty	13.000 kg appr.	28.660 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.450	380 gal
Water tank	6001	159 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

# Solar / Power management

	STANDARD	OPTION
	PACKAGE	OPTION
Standard solar panels	2,97 kW	
Standard LiFePO4 batteries	4,1 kW/h	10,56 kW/h
Standard inverter	5 kW	

# See how it works on greenlinehybrid.com

- $^{\circ}$  Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.
- \*\* Depending on selected equipment and propulsion.
- \*\*\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.

  For more information and detailed standard specifications please contact your local dealer.

# **Electric Drive**



Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	20/40 kW	
Range with range extender at	> 100 Nm	

# **Hybrid Drive**



Electric motor	2 x 25 kW	2 x 25 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	7,5 kts	7,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 250 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 20 kW	2 x 20 kW

# **Diesel Drive**



2 x 250 hp Shaft drive	18 kts	
2 x 320 hp Shaft drive	20 kts	
2 x 370 hp Shaft drive	25 kts	
2 x 440 hp Shaft drive	28 kts	
2 x 370 hp IPS 500	30 kts	
2 x 435 hp IPS 600	34 kts	
Max range at 7 kts	> 1.000 Nm	

# **Greenline 45 Fly**

The perfect balance





Greenline 45 Fly offers a fresh perspective to yachting with a perfectly balanced interior layout featuring a full-beam midship owner cabin with the VIP guest cabin in the bow, both equally comfortable offering private bathrooms with separate showers.

With both cabins featuring walk-in wardrobes, the 45 Fly is really the most comfortable yacht in her class.





Comfortable sunbathing area











< []>

Superb guest cabin







360° panoramic view in the salon





Greenline 45 Fly is unique in its sector, both in terms of its impressive variety of propulsion options and the choice between two extremely luxurious ensuite cabins with walk-in wardrobes or a three-cabin layout with two spacious bathrooms.


# **Greenline 45 Fly**







#### FLYBRIDGE




#### MAIN DECK



#### LOWER DECK A



#### LOWER DECK B



#### LOWER DECK C



### **Features**

Solar panels     as standard	Volvo Penta or Yanmar Engine	Silent eco-navigation	Lifting bathing platform	City water connection	• 230/120V AC power at all times	• Full Beam Master cabin
Twin-access, high-volume bathroom	• Open galley	Sheltered cockpit and sidedecks	Natural light and 360° panoramic view in the salon	Cockpit side exit	Cockpit storage	

# **Technical specifications**

# Standard dimensions

Length overall	15,57 m	51'1"
Beam overall	4,57 m	14'11"
Bridge clearance (minimum)	4,16 m	17'2"
Draft empty	1,10 m	3'7"
Displacement empty	13.500 kg appr.	29.700 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.500	396 gal
Water tank	6001	159 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

# Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	0,66 kW	1,98 kW
Standard LiFePO4 batteries	4,1 kW/h	10,25 kW/h
Standard inverter	5 kW	



# See how it works on greenlinehybrid.com

- $^{\circ}$  Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.
- \*\* Depending on selected equipment and propulsion.
- \*\*\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

# **Electric Drive**



lectric motor	2 x 100 kW	
lattery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
lange	30 Nm	
lange extender / generator	20/45 kW	
ange with range extender at kts	> 100 Nm	

# **Hybrid Drive**



lectric motor	2 x 25 kW	2 x 25 kW
attery capacity	up to 80 kW/h	up to 80 kW/h
lax speed electric mode	7,5 kts	7,5 kts
ange in electric mode (5kts)	up to 25 Nm	up to 25 Nm
iesel engine	2 x 250 hp	2 x 370 hp
lax speed diesel mode	18 kts	23 kts
enerator in diesel mode	2 x 20 kW	2 x 20 kW

# **Diesel Drive**



2 x 250 hp Shaft drive	18 kts
2 x 320 hp Shaft drive	20 kts
2 x 370 hp Shaft drive	25 kts
2 x 440 hp Shaft drive	28 kts
2 x 370 hp IPS 500	30 kts
2 x 435 hp IPS 600	34 kts
Max range at 7 kts	> 1.000 Nm

# **Greenline 48 Coupe**

Discover what being independent truly means







Open galley




In yachting this means not being dependent on marinas, water supplies and mostly electricity. The ability to stay at anchor as long as you like.

The 48 Coupe is equipped with staggering 2,64 kW solar panels on the roof as standard, which is equal to a small generator output. Having continuous power onboard to run all the appliances in silence, without using any fossil fuels, not only is much friendlier to the environment, but also significantly increases the quality of living onboard.

Solar panels as standard









360° panoramic view in the salon







Lower deck offers a 3 ensuite cabin layout with the master cabin in the bow and two cabins with twin berths aft. Not including the captain's quarters, accessible from the cockpit, of course.





# **Greenline 48 Coupe**







# **Technical specifications**

### Standard dimensions

Length overall	15,44 m	50'8"
Beam overall	4,80 m	15'8"
Bridge clearance (minimum)	3,50 m	11'6"
Draft empty	0,98 m	3'1"
Displacement empty	13.300 kg appr.	29.320 lbs
Cabins	3 (opt. 4 skip)	
Max. berths	6 + 2 salon +1	
Toilets/washrooms	3 (opt. 4 skip)	
Diesel tank	1.500	396 gal
Water tank	6001	159 gal
CE category	В	
Design	J&J Design	

# Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	2.97 kW	
Standard LiFePO4 batteries	4,1 kW/h	10.25 kW/h
Standard inverter	5 kW	

# See how it works on greenlinehybrid.com

- \* Displacements are calculated with 50% fuel and water plus liferaft but with no optional
- \*\* Depending on selected equipment and propulsion.
- \*\*\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.

Length overall	15,44 m	50'8"
Beam overall	4,80 m	15'8"
Bridge clearance (minimum)	3,50 m	11'6"
Draft empty	0,98 m	3'1"
Displacement empty	13.300 kg appr.	29.320 lbs
Cabins	3 (opt. 4 skip)	
Max. berths	6 + 2 salon +1	
Toilets/washrooms	3 (opt. 4 skip)	
Diesel tank	1.500	396 gal
Water tank	600	159 gal
CE category	В	
Docian	I& I Design	

# MAIN DECK



#### LOWER DECK A



#### LOWER DECK B



\*Optional skipper cabin for both version of lower deck (A and B)

#### **Features**

 Solar panels as standard

• Twin-access,

high-volume bathroom

Open galley

- Volvo Penta or Yanmar

Sheltered cockpit

and sidedecks

- Lifting bathing platform

panoramic view

Natural light and 360°

City water connection

Cockpit side exit

- 230/120V AC power at all times
- owner's cabin

Adaptive

- Cockpit storage
- Single level living space

**Electric Drive** 

Electric motor

Battery capacity

Cruising speed

**Hybrid Drive** 

Electric motor

Battery capacity

Diesel engine

Max speed electric mode

Max speed diesel mode

Generator in diesel mode

**Diesel Drive** 

Range in electric mode (5kts)

Range extender / generator

Range with range extender at

Max speed

Range

# E BLECTRIC DRIVE

2 x 100 kW

160 kW/h

11 kts

7 kts

30 Nm

20/40 kW

> 100 Nm

 $2 \times 14 \text{ kW}$ 

2 x 25 kW/h

up to 25 Nm

2 x 220 hp

2 x 20 kW

18 kts

7,5 kts

H HYBRID DRIVE
2 x 25 kW
up to 80 kW/h
7,5 kts
up to 25 Nm
2 x 370 hp
23 kts
2 x 20 kW



2 x 250 hp Shaft drive	18 kts
2 x 320 hp Shaft drive	20 kts
2 x 370 hp Shaft drive	23 kts
2 x 440 hp Shaft drive	29 kts
Max range at 7 kts	> 1.000 Nm

For more information and detailed standard specifications please contact your local dealer.

# **Greenline 48 Fly**

Discover a new level of comfort





Traditional side anchor or optional bow anchor

The flagship of the Greenline family, the Greenline 48 offers a host of innovative features to set her apart from the competition.

Designed for long-range cruising, with a new interior design, 3<sup>rd</sup> Generation Hybrid system, luxurious flybridge, hydraulic platform, utility compartment and much more, the Greenline 48 is designed to go the distance.






Hydraulic bathing platform



Comfortable sunbathing area













360° panoramic view in the salon











Wetbar with barbecue, icemaker and fridge














Two luxurious en-suite guest cabins




Separate owner's toilet and shower











# **Greenline 48 Fly**







# **Technical specifications**

#### FLYBRIDGE



#### MAIN DECK



#### LOWER DECK A\*



#### LOWER DECK B\*



Optional skipper cabin for both version of lower deck (A and B)

### **Features**

Twin-access,

high-volume bathroom

<ul> <li>Solar panels</li> </ul>	<ul> <li>Volvo I</li> </ul>
as standard	Yanmar

 Volvo Penta or Yanmar Engine

Open galley

Penta or • Silent e

Silent eco-navigation

Sheltered cockpit

and sidedecks

 Opening bathing platform

panoramic view in the salon

Natural light and 360°

City water connection

Cockpit side exit

• 230/120V AC power at all times

 Adaptive owner's cabin

Cockpit storage

• Single level living space

# **Standard dimensions**

Length overall	15,44 m	50'8''
Beam overall	4,80 m	15'8''
Bridge clearance (minimum)	4,10 m	13'5"
Draft empty	0,98 m	3'01"
Displacement empty	13.500 kg appr.	29.700 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.500	396 gal
Water tank	600 I	159 gal
CE category	В	
Design	J&J Design	

# Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	0,66 kW	1,98 kW
Standard LiFePO4 batteries	4,1 kW/h	10,25 kW/h
Standard inverter	5 kW	



# See how it works on greenlinehybrid.com

### **Electric Drive**



lectric motor	2 x 100 kW	
lattery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
lange	30 Nm	
lange extender / generator	20/40 kW/h	
ange with range extender at	> 100 Nm	

# **Hybrid Drive**



Electric motor	2 x 14 kW	2 x 25 kW
Battery capacity	2 x 25 kW/h	up to 80 kW/h
Max speed electric mode	7,5 kts	7,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 20 kW	2 x 20 kW

# **Diesel Drive**



2 x 250 hp Shaft drive	18 kts	
2 x 320 hp Shaft drive	20 kts	
2 x 370 hp Shaft drive	23 kts	
2 x 440 hp Shaft drive	29 kts	
May range at 7 kts	>1000 Nm	

<sup>\*</sup> Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

<sup>\*\*</sup> Depending on selected equipment and propulsion.

<sup>\*\*\*</sup> Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts.

For more information and detailed standard specifications please contact your local dealer.

# **Greenline 58 Fly**


A new model in the making

HYBRID DRIVE Brand new hybrid system with powerful twin 25kW electric motors that can be adapted to any diesel engine Comfortable sunbathing area I Flybridge with U-shaped settee and sun lounge I Easy accesible anchor









One-level living: The yacht is designed without a single step between the cockpit and the helmsman position.

In light of the success of the 45 Fly, Greenline Yachts is delighted to reveal the latest addition to its revolutionary range of flybridge cruisers, the 58 Fly. Launching in Autumn 2022, the all-new 58 Fly fits into the range to bridge the gap between the popular 48 Fly and flagship 68 OceanClass.

The model shows a fresh exterior look with clean lines and tight proportions retaining the focus on elements that make a Greenline such a pleasurable boat to live aboard. The single-level main deck with aft galley ensures the saloon and cockpit combine to create a large living and entertaining area and the cut-outs in the forward bulwarks align to deliver spectacular views over the water from the lower deck



11 solar panels I 3.6kW of solar power I Boat's domestic services to run without a noisy diesel generator



Waterside living area: aft-facing transom bench & extended hydraulic bathing platform





# Indulge in comfort - privately or in your favourite company



Flexible waterside living area: A comfortable outside dining table for 6

Flexible waterside living area: A spacious daybed

Flexible waterside living area: An entertaining space for 8.

Work remotely in comfort with the genuine functionality of a home office.

# Vacation or workcation? The choice is yours.

A spacious and beautifully illuminated salon makesliving aboard a full pleasure.



The master cabin stretches across the boat's full beam amidships and boasts 1.96 m of headroom throughout.

Choose a layout with 2 or 3 comfortable bathrooms.




# **Greenline 58 Fly**








#### FLYBRIDGE



#### MAIN DECK



#### LOWER DECK A\*



#### LOWER DECK B\*



#### LOWER DECK C\*



#### **Features**

area

 Solar panels as standard

- Cummins or Volvo Penta engine
- Silent eco-navigation

Sheltered cockpit

and sidedecks

 Lifting bathing platform

Natural light and 360°

panoramic view

- City water connection
- 230/120V AC power at all times
- Full Beam Master cabin

# **Technical specifications**

# Standard dimensions

	Length overall	18,20 m	59'9"
	Beam overall	5,12 m	16'9"
	Bridge clearance (minimum)	6,12 m	20'09"
	Draft empty	1 m	3'3"
	Displacement empty	30.000 kg appr.	66.139 lbs
	Cabins	2 or 3	
	Max. berths	4 or 6 + 2	
	Toilets/washrooms	2 or 3 + 1 optional	
		skipper cabin)	
	Diesel tank	2.300   (3.500   opt)	605 (925 gal opt)
	Water tank	2.300	605 gal
	CE category	В	
	Design	Marco Casali Too Design	

# Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	1.32 kW	3.63 kW
Standard LiFePO4 batteries (24V)	10.24 kW/h	20.48 kW/h
Standard inverter	5 kW	8 kW

# See how it works on greenlinehybrid.com

- \* Displacements are calculated with 50% fuel and water plus liferaft but with no optional
- \*\* Depending on selected equipment and propulsion.
- \*\*\* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

### **Electric Drive**



Electric motor	2 x 100 kW	
Battery capacity	up to 320 kW/h	
Max speed	12 kts	
Cruising speed	7 kts	
Range	25 Nm	
Range extender / generator	45/75 kW	
Range with range extender at 5kts	> 1000 Nm	

# **Hybrid Drive**



lectric motor	2 x 25 kW	
lattery capacity	up to 120 kW/h	
Max speed electric mode	6,5 kts	
ange in electric mode (5kts)	up to 25 Nm	
Diesel engine	2 x 715 hp	
lax speed diesel mode	24 kts	
Generator in diesel mode	2 x 20 kW	

# **Diesel Drive**



2 x twin 610 hp Cummins engine	22 kts	
2 x twin 715 hp Cummins engine	26 kts	
2 x 1000 hp Volvo Penta engines	29 kts	
Max range at 7 kts	> 600 Nm	

in the salon

# **Greenline Hybrid Experience Center**



# Discover the sound of silence



### **TEST CENTER PORTOROŽ**


Portorož Marina is where we test out and launch all of our yachts. Most of our Greenline models are available to test all year round.


When visiting this specific test center you are only an hour away from our shipyard, where we invite our valued customers to see for themselves how our yachts are made.



# LAMPERTHEIM, GERMANY

The above mentioned Central EU test center is not only perfectly located logistically, but it is also amazing for those who want to experience the German countryside! Go on a German Wine Tour or visit the Heidelberg Castle while you come on your Greenline Yacht experience tour.





### FORT LAUDERDALE, FLORIDA

Visit our test centre in the 'Sunshine State' of Florida. Fort Lauderdale is famed for its beaches and boating canals. Choose any boat of your desire. Here, you can pick and mix from our full fleet and choose between traditional and alternative propulsion.

 $^{-1}$ 

# Worldwide network of Greenline Yachts Representatives

WITH SALES OFFICES AND CERTIFIED SERVICE STAFF TO MAKE YOUR GREENLINE EXPERIENCE ACCORDING TO OUR HIGH STANDARDS





No Greenline representative near you? Contact us at sales@svpyachts.com

www.greenlinehybrid.com

SVP Yachts, Zapuže 10a, 4275 Begunje, Slovenia







**Greenline 39** 



Greenline 40



**Greenline 45 Coupe** 



**Greenline 45 Fly** 



**Greenline 48 Coupe** 



Greenline 48 Fly



**Greenline 58 Coupe** 



Greenline 58 Fly